

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

### BLACK BORDERS

- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : H04M 1/02, H04Q 7/32, H04M 17/00, 17/02		A1	(11) International Publication Number: WO 97/05729
			(43) International Publication Date: 13 February 1997 (13.02.97)
(21) International Application Number: PCT/IT96/00151		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 24 July 1996 (24.07.96)			
(30) Priority Data: RM95A000521 27 July 1995 (27.07.95) IT			
(71) Applicant (for all designated States except US): TELECOM ITALIA MOBILE S.P.A. [IT/IT]; Via Bertola, 34, I-10122 Torino (IT).			
(72) Inventor; and (75) Inventor/Applicant (for US only): SENTINELLI, Mauro [IT/IT]; Via Luigi Rizzo, 22, I-00136 Roma (IT).			
(74) Agents: DOMENIGHETTI FIAMMENGHI, Delfina et al.; Fiammenghi Fiammenghi, Via Quattro Fontane, 31, I-00184 Roma (IT).		Published With international search report.	
(54) Title: RADIO MOBILE TERMINAL PROVIDED WITH AN ADDITIONAL READER OF CHIP CARDS			
(57) Abstract  Radio mobile terminal provided with an additional chip card reader of prepaid chip cards, which can be made available both on a terminal realized according to the TACS technology and on a terminal employing the GSM technology. The prepaid chip card embodies the payment means for the radio mobile telephony service.			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Description

Radio mobile terminal provided with an additional  
reader of chip cards

Technical field

The present invention relates to a radio mobile terminal provided with an additional reader of chip cards, and more particularly it relates to a radio mobile terminal  
5 provided with an additional reader of prepaid chip cards, which can be implemented both on terminals realized with the TACS (Total Access Communication System) technology, and on terminals employing the GSM  
(Global System for mobile communication) technology.

10

Background Art

Presently, both the TACS service of mobile telephony and the GSM telephone service do not provide prepaid chip cards, notwithstanding their wide diffusion. On the  
15 other hand, the advantages of telephonic prepaid cards are well known in public telephony, since they allow their user to continuously check the amount of the credit and expense.

20 Disclosure of Invention

An object of the present invention is to realize a radio mobile terminal provided with an additional reader of chip cards, which allows to increase the functionality of the terminal, permitting the

utilization of prepaid cards for paying the radio mobile service, when benefitting by this service.

A further object of the present invention is to provide a radio mobile terminal with an additional reader of  
5 chip cards, wherein the additional reader is compatible with the prepaid chip cards issued by the administrator of this service and can manage the various operations (validation, obliteration, card change, etc.).

At last another object of the invention is to realize a  
10 radio mobile terminal provided with an additional chip card reader, being completely consistent with the presently employed construction technologies in the field of mobile telephony and being easy to handle by the final user.

#### Best Mode of Carrying out the Invention

The above and other objects which will be clearly illustrated in the course of this description, will be attained by a radio mobile terminal provided with an  
20 additional reader of chip cards, wherein an additional reading device (a second reader corresponding to a standard format in the case of terminals of the GSM type) manages a prepaid chip card which stores the amount of the available credit used for benefitting by  
25 the telephone service; said chip card embodies the payment means for the radio mobile service. The additional reader of chip cards complies with the ISO 7816-2 standard and the ID1 format, and it can read

cards with six contacts as well as with eight contacts.

The radio mobile terminal being compatible with the network standard, is provided with all functions of the network, and it is additionally equipped with the

5 functions related to the management of chip cards.

In the terminals of the GSM type the additional reader must also be realized so as to be able to read identification cards for mobile communication (SIM) (SIM = Subscriber Identity Module) having a format ID-1.

10 In this case, the possible operative conditions of the terminal comprising two chip card readers are the following:

- if the SIM card is inserted in the usual (ordinary) reader and no card is inserted (loaded) in the  
15 additional reader ID-1, the terminal of the type GSM manages the SIM card of the ordinary reader;
- if two SIM cards are loaded, the SIM card of the ordinary reader and the SIM card of the additional reader ID-1, the GSM terminal manages the SIM card of  
20 the additional reader ID-1 only;
- if the ordinary or usual reader is not loaded and only the additional reader ID-1 is loaded, the GSM terminal manages the SIM card of the additional reader ID-1;
- if the ordinary reader is loaded and the prepaid card  
25 is loaded inside the additional reader, the GSM terminal manages the SIM card of the ordinary reader; the payment is carried out by means of the prepaid card inserted into the additional reader.

The additional reader of the terminal can also perform the following functions:

- it allows insertion and removal of the chip card, automatically and simply (without removing any mechanical part of the terminal);
- it prevents movement of the card during the telephonic conversation, except at the exhaustion of the credit, since the card change must be allowed;
- it automatically detects possible external connections with the card, stopping their operations.

The terminal provided with the additional reader displays the residual credit of the prepaid card, in the following operative situations:

- when the terminal is in the stand-by condition, and the user acts on the keyboard in order to interrogate it; during a charged telephone call (performed from the terminal provided with the additional reader).

The additional reader of the terminal can perform also the following management procedures (besides the usual standard network procedures):

- validation of the chip card;
- decrease of the credit units from the chip card during the conversation;
- change of the chip card which is becoming exhausted.

#### Industrial Applicability

The practical realization of the invention, as explained until now at an illustrative level, must of course not

be interpreted in a limitative sense. Numerous and varied may be the configurations which, starting from the basic principle set forth in claim 1, employ an additional reader of prepaid chip cards in order to  
5 provide an optimum functionality of the terminal where they are located.

An additional straightforward application may concern the public telephones network implemented on the ferry-boats, wherein the terminals are included in a network  
10 with a centralized management and wherein the terminal operates after the insertion of a SIM card which allows the identification of the user.

Also in this kind of terminals connected in a network, the provision of a double reader for managing prepaid  
15 chip cards results in an increase of the value of the services associated to the terminal itself.



Claims

1. Radio mobile terminal provided with an additional  
chip card reader, characterized in that it includes an  
additional reading device for managing chip cards of  
standard format, wherein said additional reading device  
5 is a second reader having a standard format in the case  
of a GSM terminal, said reading device being suited to  
receive and to manage a prepaid chip card whereon the  
available credit used to benefit by the telephone  
service is stored, and in that said chip card embodies  
10 the payment means for the radio mobile service.

2. Radio mobile terminal provided with an additional  
chip card reader according to claim 1, characterized in  
that in the terminals of the GSM type the additional  
15 reader is also arranged to perform reading of SIM cards  
of the ID-1 format, with the following possible  
operative conditions of the two readers:

- if the SIM card is loaded in the ordinary reader and  
no card is inserted in the additional reader ID-1, the  
20 terminal of the GSM type operates on the SIM card of the  
ordinary reader;
- if a SIM card is loaded in the ordinary reader and a  
second SIM card is loaded in the additional reader ID-1,  
the GSM terminal manages the SIM card of the additional  
25 reader ID-1 only;
- if the SIM card is not loaded in the ordinary reader

- 7 -

and only the additional reader ID-1 is loaded the GSM terminal manages the SIM card of the additional reader ID-1;

- if a SIM card is loaded in the ordinary reader and in  
5 the additional reader is loaded the prepaid card, the GSM terminal operates on the SIM Card of the ordinary reader; the payment is carried out by means of the prepaid card introduced into the additional reader.

10

## INTERNATIONAL SEARCH REPORT

Inter. Appl. No.  
PCT/IT 96/00151

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04M1/02 H04Q7/32 H04M17/00 H04M17/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB,A,2 269 512 (NOKIA MOBILE PHONES LIMITED) 9 February 1994 see the whole document	1,2
A	GB,A,2 267 794 (ALAN KILPATRIK CONROY) 15 December 1993 see abstract; figure 1	1,2
A	PATENT ABSTRACTS OF JAPAN vol. 13, no. 175 (P-863), 25 April 1989 & JP,A,01 008492 (TOSHIBA CORP.), 12 January 1989, see abstract	1,2
A	WO,A,95 02949 (ADT ESPANA, S.L.) 26 January 1995 see abstract	1,2

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*&\* document member of the same patent family

Date of the actual completion of the international search

9 October 1996

Date of mailing of the international search report

18.10.96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+ 31-70) 340-3016

Authorized officer

Montalbano, F

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Inter Application No  
PCT/IT 96/00151

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-2269512	09-02-94	AU-A- 4435393	10-02-94
		CN-A- 1086367	04-05-94
		EP-A- 0586081	09-03-94
		JP-A- 7312630	28-11-95
GB-A-2267794	15-12-93	NONE	
WO-A-9502949	26-01-95	ES-A- 2076094	16-10-95
		AU-A- 7229594	13-02-95
		EP-A- 0660629	28-06-95